



Made in U.S.A.



# 2HAGM



C&D 2HAGM batteries are the industry's first AGM battery with an exact 2HN footprint. It is specifically designed for use in applications such as Military Vehicles, Tactical Quiet Generators (TQG) and Turrets.

## FEATURES

- Designed to meet Military Specifications
- Exact match for standard 2HN flooded battery footprint
- No Free electrolyte
  - eliminates spills
  - increases safety
  - increases shelf life
- Can be mounted in any position
- 99% Gas Recombination reduces battery maintenance
- Robust Polypropylene Container and Cover
- Non Spillable design for ease of transportation over land, air and water
- Manufactured in Milwaukee, WI using C&D's proven production processes

Battery Type	Nominal Volts	CCA (0°F)	Reserve Capacity	20 Hour Capacity	Length in(mm)	Width in(mm)	Height in(mm)	Weight
2HAGM	12	400	105 min	60 Ah	10.25 (260)	5.25 (133)	9.00 (229)	45 lbs. 20.4 kg

Charge Voltage	14.25 - 14.5 Volts (15 Volts Max)
Storage Temperature Range	-40°F (-40°C) to 140°F (60°C)
Temperature Correction Factor	+2.8 mV/°F below 77°F (25°C) -2.8 mV/°F below 77°F (25°C)
Terminals	SAE Posts

## C&D TECHNOLOGIES, INC.

1400 Union Meeting Road  
P.O. Box 3053 • Blue Bell, PA 19422-0858  
(215) 619-2700 • Fax (215) 619-7899 • (800) 543-8630  
customersvc@cdtechno.com  
www.cdtechno.com

Any data, descriptions or specifications presented herein are subject to revision by C&D Technologies, Inc. without notice. While such information is believed to be accurate as indicated herein, C&D Technologies, Inc. makes no warranty and hereby disclaims all warranties, express or implied, with regard to the accuracy or completeness of such information. Further, because the product(s) featured herein may be used under conditions beyond its control, C&D Technologies, Inc. hereby disclaims all warranties, either express or implied, concerning the fitness or suitability of such product(s) for any particular use or in any specific application or arising from any course of dealing or usage of trade. The user is solely responsible for determining the suitability of the product(s) featured herein for user's intended purpose and in user's specific application.